

MENTPACK

think "simple"

AUGER ARTISTICK MACHINE

2020

www.mentpack.com



ARTISTICK-V


Granule Artistick Machine



Artistick-V is an entry level stick pack machine with auger filler for low capacity applications.

It's able to fill non-free flowing products such as 3in1 coffee, powdered coffee, cosmetic powder, spices, supplement powder, chemical powder products into stick packs up to 3 lines with minimum 23mm width.

It can be placed into small production rooms with its very small footprint including height advantage. Artistick has a really small in size but highly efficient in production.



[PLEASE CLICK HERE TO SEE THE VIDEO](#)

Individual servo driven auger screws allow to adjust each line separately to get the highest filling accuracy. Time saving auger filler disassemble design helps to clean hopper and auger screws very fast.



Premium brands in components are used as standard in all Mentpack machines.

Maximum web width is 210mm and it has up to 45-50 cycles/minute speed maximum.

Advantages

- Automatic film unwind
- Built-in paper crush sensor (standart)
- User friendly controls
- Each auger motor uniquely controlled
- Worldwide branded components
- Compact design
- Reduced energy consumption
- Spare parts catalogue
- 10 years plc & hmi software warranty
- I/O test manual facility
- No need for dust collection (except some products)

Speed

- 45-50 cycle per minute

* Given capacities is defined by the machines running in the factories of our customers. Actual capacity can be different depends to product type, film quality and filling weights. ** Capacity information is given as the number of cycles in a minute. Total production capacity of the package is determined by multiplying the number of cycles and the number of lines.

Technical Specifications

| | | | |
|----------------------|---|-----------------------|---------------------------------|
| • Min. pack width | 23 mm. | • Film outer diameter | 300 mm. |
| • Max. pack width | 30 mm. | • Energy consumption | 1,5 kW/h |
| • Min. pack length | 50 mm. | • Air pressure | 6-8 Bar |
| • Max. pack length | 160 mm. | • Air consumption | 250 liter/min. |
| • Max. roll width | 240 mm. | • Electricity | 1P+N+PE 220 VAC/110VAC |
| • Film specification | Paper+Alu.+Pe Paper+Pe / Pet+Alu.+Pe | • Weight | 200 kg. |
| • Film cone diameter | 76 mm. | • Dimensions (w.d.xh) | 1050 x 1150 x 1700 (mm.) |



Mentpack; the widest range of stick pack, sachet and VFFS machines manufacturer company globally. From entry level to advanced models creates the number one company in the world having both entry level and worldwide brands as its customer. Over 25 years of hard working and experience starting from 60 sqm with 2 technicians brought Mentpack on the table considered and compared with its global competitors.

The vision of simplicity in design without losing any efficiency or durability made Mentpack machines more and more popular in the worldwide market.

The new era in Mentpack history has been started to become stronger with the dynamics of German engineering excellence. Flexibility and fast Turkish manufacturing technology is now meeting with the excellence of German manufacturing system.

think "simple"

A philosophy behind it...

It is rather challenging to simplify the complexity. But that's always the goal we want to achieve.

We believe the real value is not to make things complicated in the new world today. Time is flying and we need to catch as many things as possible every single day.

So, Mentpack decided to apply simplicity with intelligence to all its machines and to create a new philosophy then follow it which is designing all the complexities with a focus of simplifying in our machines.

Mentpack Gmbh

Sebastian-Kneipp-Straße 41, 60439
Frankfurt am Main, Germany
+49 69 505064445

Mentpack Makina A.Ş.

Ziya Gökalp Mahallesi 12A Block No:12 D:No:8-10-12,
34490 İkitelli Osb/Başakşehir/İstanbul, Turkey
+90 212 539 66 40

info@mentpack.com
www.mentpack.com



think "GREEN"

We do not print this catalogue to save; 8.1 lt. of water, 10 lt. of oil, %1.3 of a tree and %0.5 enough breath for a person.